

RE: Consultation with NCEA

Brattin, Bill to: Benson.Bob

09/11/2012 01:26 PM

From: "Brattin, Bill" <brattin@srcinc.com>

To:

Use this text file, which incorporates you suggestions.

Bill Brattin
SRC, Inc.
999 18th Street Suite 1150
Denver CO 80202
Phone: 303-357-3121
Fax: 303-292-4755
e-mail: brattin@srcinc.com

From: Bob Benson [mailto:Benson.Bob@epamail.epa.gov]
Sent: Tuesday, September 11, 2012 1:10 PM
To: Brattin, Bill; David Berry
Subject: RE: Consultation with NCEA

We both think the write-up needs a brief explanation as to why we advocating option 2a for trionizing and option 3 for background. Clarify that the background a and b terms are independent from the trionizing a and b terms because the background areas only worked with already expanded vermiculite or no product was present (eg., office workers). Instead of "combine all non-trionizing data" perhaps say "combine all data from background departments."

Then we are good to send to NCEA and request a review and decision. As we discussed, I will send to Tom Bateson when you have a final version. We need to give NCEA time to review and cogitate. Thursday might be too soon for NCEA. Do you and UC have any constraints on Thursday? I am out of the office on Friday. I can do a call next Monday, Tuesday, or Wednesday (17, 18, 19).

▼ "Brattin, Bill" ---09/11/2012 12:49:33 PM---Yes. I just received the weighted fit and am plotting it up now.

From: "Brattin, Bill" <brattin@srcinc.com>
To: Bob Benson/R8/USEPA/US@EPA,
Date: 09/11/2012 12:49 PM
Subject: RE: Consultation with NCEA

Yes.

I just received the weighted fit and am plotting it up now.

Any comments from David?

Bill Brattin
SRC, Inc.
999 18th Street Suite 1150
Denver CO 80202
Phone: 303-357-3121
Fax: 303-292-4755
e-mail: brattin@srcinc.com

From: Bob Benson [<mailto:Benson.Bob@epamail.epa.gov>]

Sent: Tuesday, September 11, 2012 12:40 PM

To: Brattin, Bill

Subject: RE: Consultation with NCEA

I assume from your response that the plot from your message of 09/06 was un-weighted fit. Correct?

▼ "Brattin, Bill" ---09/11/2012 12:40:03 PM---Don't have it yet...I will ask Tim for status on that.

From: "Brattin, Bill" <brattin@srcinc.com>
To: Bob Benson/R8/USEPA/US@EPA,
Date: 09/11/2012 12:40 PM
Subject: RE: Consultation with NCEA

Don?t have it yet...I will ask Tim for status on that.

Bill Brattin
SRC, Inc.
999 18th Street Suite 1150
Denver CO 80202
Phone: 303-357-3121
Fax: 303-292-4755
e-mail: brattin@srcinc.com

From: Bob Benson [<mailto:Benson.Bob@epamail.epa.gov>]

Sent: Tuesday, September 11, 2012 12:21 PM

To: Brattin, Bill

Cc: David Berry

Subject: Re: Consultation with NCEA

I think it would be helpful to provide the plot for the background fitting.

▼ "Brattin, Bill" ---09/11/2012 08:38:18 AM---Attached is a revised memo on options we have considered for fitting the IH data to create the JEM.



srcinc.com

Fitting Options v2a.docx<UCMAIL.UC.EDU>, Bob Benson/R8/USEPA/US@EPA, David Berry/R8/USEPA/US@EPA,

Date: 09/11/2012 08:38 AM

Subject: Consultation with NCEA

Attached is a revised memo on options we have considered for fitting the IH data to create the JEM.

For simplicity, I have omitted any discussion of un-weighted fitting.

Please review and provide comments ASAP so we can sent to NCEA and have a consultation.

We must get past this stage to continue work.

Bill Brattin

SRC, Inc.

999 18th Street Suite 1150

Denver CO 80202

Phone: 303-357-3121

Fax: 303-292-4755

e-mail: brattin@srcinc.com<<mailto:brattin@syrres.com>>

[attachment "winmail.dat" deleted by Bob Benson/R8/USEPA/US] [attachment "Figure 1.pdf" deleted by Bob Benson/R8/USEPA/US] [attachment "Figure 2.pdf" deleted by Bob Benson/R8/USEPA/US] [attachment "Figure 3.pdf" deleted by Bob Benson/R8/USEPA/US] [attachment "Figure 4.pdf" deleted by Bob Benson/R8/USEPA/US] [attachment "Figure 5.pdf" deleted by Bob Benson/R8/USEPA/US] [attachment "Figure 6.pdf" deleted by Bob Benson/R8/USEPA/US] [attachment "Fitting Options v2.docx" deleted by Bob Benson/R8/USEPA/US]